

BFBC2 PC Remote Administration Protocol

This is the remote-administration protocol used by BFBC2 PC Closed Beta Server R5.

It is work-in-progress; features are first added to the game, and then controlling commands are added to the Remote Administration interface.

Contents

Low-level protocol	2
Packet format.....	2
int32	2
Word	2
Packet.....	2
Protocol behaviour.....	2
Comments	3
Parameter formats.....	4
String	4
Boolean	4
Password	4
Filename.....	4
Clantag	4
Player name	4
Team ID	4
Squad ID	4
Player subset.....	4
Timeout.....	5
Server events	6
Client commands	6
Misc.....	6
Query.....	7
Communication.....	7
Level	7
Kick/List players	9
Banning	9
Reserved slots	10
Maplist	11
Variables.....	12

Low-level protocol

Packet format

int32

32-bit unsigned integer

1 byte	bits 7..0 of value
1 byte	bits 15..8 of value
1 byte	bits 23..16 of value
1 byte	bits 31..24 of value

Word

int32	Size	Number of bytes in word, excluding trailing null byte
char[]	Content	Word contents -- must not contain any null bytes
char	Terminator	Trailing null byte

Packet

int32	Sequence	Bit 31: 0 = The command in this command/response pair originated on the server 1 = The command in this command/response pair originated on the client Bit 30: 0 = Request, 1 = Response Bits 29..0: Sequence number (this is used to match requests/responses in a full duplex transmission)
int32	Size	Total size of packet, in bytes
int32	NumWords	Number of words following the packet header
Word[N]	Words	N words

Protocol behaviour

The client communicates with the server using a request/response protocol. Each request contains a sequence number which grows monotonically, a flag which indicates whether the command originated on the client or the server, and one word containing the command name. In addition to this, a command can have zero or more arguments.

Every request must be acknowledged by a response. The response includes the the same sequence number, and the same origin flag. However, it has the response flag set.

Sequence numbers are unique within one server-client connection. Thus, the same sequence number can be used when the server is communicating with different clients.

Responses must contain at least one word. The first word can be one of the following:

OK	- request completed successfully
UnknownCommand	- unknown command
InvalidArguments	- Arguments not appropriate for command
<other>	- command-specific error

OK is the only response which signifies success.

Subsequent arguments (if any) are command-specific.

The server is guaranteed to adhere to this protocol specification. If the client violates the protocol, the server may close the connection without any prior notice.

Comments

The format of the Words portion of a packet is designed such that it shall be easy to split it into individual words in both C++ and Python. Any numerical arguments are always transferred in string form (not in raw binary form).

The protocol is designed to be fully bidirectional, but it is not currently being used as such.

Parameter formats

String

An 8bit ASCII string. Must not contain any characters with ASCII code 0.

Boolean

Two possible values:

true
false

Password

A password is from 0 up to 16 characters in length, inclusive. The allowed characters are:
abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789

Filename

A filename is from 1 up to 240 characters in length, inclusive. The allowed characters are:
abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789._-

Clantag

A clan tag is from 1 to an unknown number of characters in length. At the time of writing, it is unclear which the allowed characters are.

Player name

The “player name” is the persona name which the player chose when logging in to EA Online. One EA Account can have multiple personas.

A player has a name from 1 to 16 characters in length, inclusive. At the time of writing, it is unclear which the allowed characters are.

Team ID

An integer.

Team 0 is neutral. Depending on gamemode, there are up to 16 non-neutral teams, numbered 1..16.

Squad ID

An integer.

Squad 24 is neutral. Depending on gamemode, there are up to 16 squads numbered 0..15.

Sounds strange? Absolutely, and expect the squad numbering to change to something more sensible in the near future.

Player subset

Several commands – such as `admin.listPlayers` – take a player subset as argument.

A player subset is one of the following:

<code>all</code>	- all players on the server
<code>team <team number: integer></code>	- all players in the specified team
<code>squad <squad number: integer></code>	- all players in the specified squad
<code>player <player name: string></code>	- one specific player

Timeout

Some commands, such as bans, take a timeout as argument.

A timeout is one of the following:

perm	- permanent
round	- until end of round
seconds <number of seconds: integer>	- number of seconds

Server events

Request: player.onJoin <soldier name: string>
Response: OK
Effect: Player with name <soldier name> has joined the server

Request: player.onLeave <soldier name: string>
Response: OK
Effect: Player with name <soldier name> has left the server

Request: player.onKill <killing soldier name: string> <killed soldier name: string>
Response: OK
Effect: Player with name <killing soldier name> has killed <killed soldier name>
##RSP Comment: onKill does not specify the weapon used to kill you opponent. This would be really handle to monitor our ranked servers and immediately identify if there is anything suspicious (stat-padding) going on

Request: player.onChatMessage <soldier name: string> <text: string>
Response: OK
Effect: Player with name <name> has sent text message <text> to some people (either his/hers squad or team)

##RSP Comment: onChat does not differentiate between Global/Team/Squad chat. It would be beneficial if you were able to parse this information and therefore handle the chat accordingly

Client commands

Most commands require the client to be logged in. Before the client has logged in,

only 'login', 'serverInfo' and 'quit' commands are available.

Misc

Request: login <password: string>
Responses: OK - Login successful, you are now logged in regardless of prior status
Responses: InvalidPassword - Login unsuccessful, logged-in status unchanged
Response: InvalidArguments
Effect: Attempt to login to game server with password <password>
Comments: This command will probably change into a challenge/response type login sequence soon, to avoid people sniffing the password.

Request: logout
Responses: OK - You are now logged out regardless of prior status

Response: InvalidArguments
Effect: Logout from game server

Request: quit
Responses: OK
Response: InvalidArguments
Effect: Disconnect from server

Request: help
Responses: OK <all commands available on server, as separate words>
Response: InvalidArguments
Effect: Report which commands the server knows about

Request: admin.runScript <filename: filename>
Response: OK
Response: InvalidArguments
Response: InvalidFileName - The filename specified does not follow filename rules
Response: ScriptError <line> <original error...> - Script failed at line <line>, with the given error
Effect: Process file, executing script lines one-by-one, aborting processing upon error

Query

Request: serverInfo
Response: OK <serverName> <current playercount> <max playercount> <current gamemode> <current map>
Response: InvalidArguments
Effect: Query for brief server info.
Comments: This command can be performed without being logged in.

Communication

Request: admin.yell <message: string> <duration [in ms]: integer> <players: player subset>
Response: OK
Response: InvalidArguments
Response: TooLongMessage
Response: InvalidDuration
Effect: Display a message, very visibly on players' screens, for a certain amount of time. The duration must be more than 0 and at most 60000 ms. The message must be less than 100 characters long.

Level

Request: admin.runNextLevel
Response: OK
Response: InvalidArguments
Effect: Switch to next level
Comments: Always successful

Request: admin.currentLevel
Response: OK <name>
Response: InvalidArguments
Effect: Return current level name

Request: admin.nextLevel <name: string> **##QA: Not working**
Response: OK
Response: InvalidArguments
Response: InvalidLevelName - Level not available on server
Effect: Set name of next level to be run to <name>

Request: admin.restartMap
Response: OK
Response: InvalidArguments
Effect: End current round, and restart with the same map

Request: admin.supportedMaps <play list: string> **##QA: Does not give maps names**
Response: OK <map names>
Response: InvalidArguments
Response: InvalidPlaylist <play list> - Play list doesn't exist on server
Effect: Retrieve maplist of maps supported in this play list

Request: admin.setPlaylist <name: string>
Response: OK - Play list was changed
Response: InvalidArguments
Response: InvalidPlaylist - Play list doesn't exist on server
Effect: Set the play list on the server.
Comments: Will only use maps supported for this play list. So the mapList might be invalid
Delay: Change occurs after end of round

Request: admin.getPlaylist <name: string>
Response: OK <play list>
Response: InvalidArguments
Effect: Get the current play list for the server

Request: admin.getPlaylists
Response: OK <play lists>
Response: InvalidArguments
Effect: Get the play lists for the server

Kick/List players

Request: admin.kickPlayer <soldier name: player name>
Response: OK - Player did exist, and got kicked
Response: InvalidArguments
Response: PlayerNotFound - Player name doesn't exist on server
Effect: Kick player <soldier name> from server

Request: admin.listPlayers <players: player subset>
Response: OK <matching players: N x player info>
player info format:
 <clanTag: clantag> <player name: player name> <squad: squadID> <team: teamID>
Response: InvalidArguments
Effect: Return list of all players on the server

Banning

Request: admin.banPlayer <soldier name: player name> <timeout: timeout>
Response: OK
Response: InvalidArguments
Effect: Add player to ban list for a certain amount of time
Comments: Adding a new player ban will replace any previous ban for that player name
 timeout can take three forms:
 perm - permanent [default]
 round - until end of round
 seconds <integer> - number of seconds until ban expires
 Adding the same player multiple times, with different timeouts, is possible

Request: admin.banIP <IP address: string> <timeout: timeout>
Response: OK
Response: InvalidArguments
Effect: Add IP address to ban list for a certain amount of time
 Adding a new IP ban will replace any previous ban for that IP
Comments: IP address should be specified on xxx.xxx.xxx.xxx format
 timeout can take three forms; see admin.banPlayer for details
 Adding the same player multiple times, with different timeouts, is possible

Request: admin.unbanPlayer <soldier name: player name>
Response: OK
Response: InvalidArguments
Response: PlayerNotFound - Player name not found in banlist; banlist unchanged
Effect: Remove player name from banlist

Request: admin.unbanIP <IP address: string>
Response: OK
Response: InvalidArguments
Response: IPNotFound - IP address not found in banlist; banlist unchanged
Effect: Remove IP address from banlist

Request: admin.clearPlayerBanList
Response: OK
Response: InvalidArguments
Effect: Clears player name ban list

Request: admin.clearIPBanList
Response: OK
Response: InvalidArguments
Effect: Clears IP number ban list

Request: admin.listPlayerBans
Response: OK <player ban entries>
Response: InvalidArguments
Effect: Return list of banned players. The list is currently a single, long string in a very ugly format.
Comment: It might turn into a cleaner format sometime in the future.

Request: admin.listIPBans
Response: OK <IP ban entries>
Response: InvalidArguments
Effect: Return list of banned players. The list is currently a single, long string in a very ugly format.
Comment: It might turn into a cleaner format sometime in the future.

Reserved slots

Request: reservedSlots.configFile [filename: filename] - **disabled for security reasons atm**
Response: OK - for set option
Response: OK <filename> - for get option
Response: InvalidArguments
Response: InvalidFileName - Filename does not follow filename rules
Effect: Set name of reserved slots configuration file

Request: reservedSlots.load
Response: OK
Response: InvalidArguments
Response: AccessError - File not found; internal reserved slots list is now empty
Effect: Load list of soldier names from file. This is a file with one soldier name per line.

If loading succeeds, the reserved slots list will get updated.
If loading fails, the reserved slots list will remain unchanged.

Request: reservedSlots.save
Response: OK
Response: InvalidArguments
Response: AccessError - Error while saving
Effect: Save list of reserved soldier names to file. This is a file with one soldier name per line.
Comment: If saving fails, the output file may be unchanged or corrupt.

Request: reservedSlots.addPlayer <soldier name: player name>
Response: OK
Response: InvalidArguments
Response: PlayerAlreadyInList - Player is already in the list; reserved slots list unchanged
Effect: Add <soldier name> to list of players who can use the reserved slots.

Request: reservedSlots.removePlayer <soldier name: player name>
Response: OK
Response: InvalidArguments
Response: PlayerNotInList - Player does not exist in list; reserved slots list unchanged
Effect: Remove <soldier name> from list of players who can use the reserved slots.

Request: reservedSlots.clear
Response: OK
Response: InvalidArguments
Effect: Clear reserved slots list

Request: reservedSlots.list
Response: OK <soldier names>
Response: InvalidArguments
Effect: Retrieve list of players who can utilize the reserved slots

Maplist

Request: mapList.configFile [filename: filename] - **disabled for security reasons atm**
Response: OK - for set option
Response: OK <filename> - for get option
Response: InvalidArguments
Response: InvalidFileName - Filename does not follow filename rules
Effect: Set name of maplist configuration file

Request: mapList.load
Response: OK - Maplist loaded

Response: InvalidArguments
Response: AccessError - File not found, internal maplist is now empty
Response: InvalidMapName <name> - Map with name <name> doesn't exist on server
Effect: Load list of map names from file. This is a file with one map name per line.
Comments: If loading succeeds, the maplist will get updated.
If loading fails, the maplist will remain unchanged.

Request: mapList.save
Response: OK - Maplist saved
Response: InvalidArguments
Response: AccessError - Error while saving, on-disk maplist file possibly corrupted now
Effect: Save maplist to file. This is a file with one map name per line.
Comments: If saving fails, the output file may be unchanged or corrupt.

Request: mapList.list **##QA: Says 'OK' but does not show maplist**
Response: OK <map names>
Response: InvalidArguments
Effect: Retrieve current maplist

Request: mapList.clear
Response: OK
Response: InvalidArguments
Effect: Clears maplist
Comments: If server attempts to switch level while maplist is cleared, nasty things will happen

Request: mapList.remove <name: string> **##QA: Does not work!**
Response: OK - Map removed from list
Response: InvalidArguments
Response: InvalidMapName - Map doesn't exist on server
Effect: Remove map from list.
Comments: bounds, the counter will be reset to 0.

Request: mapList.append <name: string> **##QA: Does not work!**
Response: OK - Map appended to list
Response: InvalidArguments
Response: InvalidMapName - Map doesn't exist on server
Effect: Add map with name <name> to end of maplist

Variables

Request: vars.adminPassword [password: password]
Response: OK - for set operation
Response: OK <password> - for get operation

Response: InvalidArguments
Response: InvalidPassword - password does not conform to password format rules
Effect: Set the admin password for the server, use it with an empty string("") to reset

Request: vars.gamePassword [password: password]
Response: OK - for set operation
Response: OK <password> - for get operation
Response: InvalidArguments
Response: InvalidPassword - password does not conform to password format rules
Effect: Set the game password for the server, use it with an empty string("") to reset

Request: vars.punkBuster [enabled: boolean]
Response: OK - for set operation
Response: OK <enabled: boolean> - for get operation
Response: InvalidArguments
Effect: Set if the server will use PunkBuster or not

Request: vars.hardCore [enabled: boolean]
Response: OK - for set operation
Response: OK <enabled: boolean> - for get operation
Response: InvalidArguments
Effect: Set hardcore mode
Delay: Works after map change

Request: vars.ranked [enabled: boolean]
Response: OK - for set operation
Response: OK <enabled: boolean> - for get operation
Response: InvalidArguments
Effect: Set ranked or not

Request: vars.rankLimit <rank: integer> **##QA: Says 'OK' but still allow higher ranked players to join**
Response: OK - for set operation
Response: OK <rank: integer> - for get operation
Response: InvalidArguments
Effect: Set the highest rank allowed on to the server (integer value).
Comment: To disable rank limit use -1 as value

Request: vars.teamBalance [enabled: boolean]
Response: OK - for set operation
Response: OK <enabled: boolean> - for get operation
Response: InvalidArguments
Effect: Set if the server should autobalance

Request: vars.friendlyFire [enabled: boolean]
Response: OK - for set operation
Response: OK <enabled: boolean> - for get operation
Response: InvalidArguments
Effect: Set if the server should allow team damage
Delay: Works after round restart

Request: vars.playerLimit [nr of players: integer]
Response: OK - for set operation
Response: OK <nr of players: integer> - for get operation
Response: InvalidArguments
Response: InvalidNrOfPlayers - Player limit must be in the range 2..32
Effect: Set maximum number of players

Request: vars.bannerUrl [url: string]
Response: OK - for set operation
Response: OK <url: string> - for get operation
Response: InvalidArguments
Response: TooLongUrl - for set operation
Effect: Set banner url
Comment: The banner url needs to be less than 64 characters long
The banner needs to be a 512x64 picture smaller than 127kb
Example: admin.setBannerUrl http://www.example.com/banner.jpg

Request: vars.serverDescription <description: string>
Response: OK - for set operation
Response: OK <description: string> - for get operation
Response: InvalidArguments
Response: TooLongDescription - for set operation
Effect: Set server description
Comment: The description needs to be less than 400 characters long
##Request from RSPs: In addition being able to enter a new line would be great, BF2142 used the "|" character as newline.

Request: vars.killCam [enabled: boolean]
Response: OK - for set operation
Response: OK <enabled: boolean> - for get operation
Response: InvalidArguments
Effect: Set if killcam is enabled
Delay: Works after map switch

Request: vars.miniMap [enabled: boolean]
Response: OK - for set operation
Response: OK <enabled: boolean> - for get operation

Response: InvalidArguments
Effect: Set if minimap is enabled
Delay: Works after map switch

Request: vars.crossHair [enabled: boolean]
Response: OK - for set operation
Response: OK <enabled: boolean> - for get operation
Response: InvalidArguments
Effect: Set if crosshair for all weapons is enabled
Delay: Works after map switch

Request: vars.3dSpotting [enabled: boolean]
Response: OK - for set operation
Response: OK <enabled: boolean> - for get operation
Response: InvalidArguments
Effect: Set if spotted targets are visible in the 3d-world
Delay: Works after map switch

Request: vars.miniMapSpotting [enabled: boolean]
Response: OK - for set operation
Response: OK <enabled: boolean> - for get operation
Response: InvalidArguments
Effect: Set if spotted targets are visible on the minimap
Delay: Works after map switch

Request: vars.thirdPersonVehicleCameras [enabled: boolean]
Response: OK - for set operation
Response: OK <enabled: boolean> - for get operation
Response: InvalidArguments
Effect: <todo>
Delay: Works after map switch

##QA: Works but is bugged. If you change the setting and someone is in a vehicle in 3rd person view when at end of round, that player will be stuck in 3rd person view even though the setting should only allow 1st person view.