

# MoH PC Remote Administration Protocol

---

This is the remote-administration protocol used by MoH PC Server ~~R8R9~~.

It is work-in-progress; features are first added to the game, and then controlling commands are added to the Remote Administration interface.

## Contents

About .....	2
Low-level protocol .....	2
Packet format .....	2
int32 .....	2
Word .....	2
Packet .....	2
Protocol behaviour .....	3
Comments .....	3
Parameter formats .....	4
String .....	4
Boolean .....	4
HexString .....	4
Password .....	4
Filename .....	4
Clantag .....	4
Player name .....	4
Team ID .....	4
Player subset .....	4
Timeout .....	5
Id-type .....	5
Player info block .....	5
Team scores .....	5
Online state .....	5
Server Moderation Mode .....	6
Player Moderation Level .....	6
Server events .....	7
Summary .....	7
Player events .....	7
Misc .....	8
Level/Round .....	8

Client commands.....	10
Summary.....	10
Preround & warmup .....	12
Misc.....	12
Query.....	14
Communication.....	14
Level.....	14
Manage players.....	15
Text chat moderation.....	16
Banning.....	18
Reserved slots .....	19
Maplist.....	20
Variables.....	<del>22</del> 21

## About

This document describes how to communicate with the Remote Administration interface that is present in MoHPC servers. The protocol is bidirectional, and allows clients to send commands to the server as well as the server to send events to clients.

The protocol is designed for machine-readability, not human-readability. It is the basis for all graphical remote administration tools.

## Low-level protocol

### Packet format

#### int32

32-bit unsigned integer

1 byte	bits 7..0 of value
1 byte	bits 15..8 of value
1 byte	bits 23..16 of value
1 byte	bits 31..24 of value

#### Word

int32	Size	Number of bytes in word, excluding trailing null byte
char[]	Content	Word contents -- must not contain any null bytes
char	Terminator	Trailing null byte

#### Packet

int32	Sequence	Bit 31: 0 = The command in this command/response pair originated on the server 1 = The command in this command/response pair originated on the client
-------	----------	--

Bit 30: 0 = Request, 1 = Response

Bits 29..0: Sequence number (this is used to match requests/responses in a full duplex transmission)

int32	Size	Total size of packet, in bytes
int32	NumWords	Number of words following the packet header
Word[N]	Words	N words

A packet cannot be more than 16384 bytes in size.

## Protocol behaviour

The client communicates with the server using a request/response protocol. Each request contains a sequence number which grows monotonically, a flag which indicates whether the command originated on the client or the server, and one word containing the command name. In addition to this, a command can have zero or more arguments.

Every request must be acknowledged by a response. The response includes the same sequence number, and the same origin flag. However, it has the response flag set.

Sequence numbers are unique within one server-client connection. Thus, the same sequence number can be used when the server is communicating with different clients.

Responses must contain at least one word. The first word can be one of the following:

OK	- request completed successfully
UnknownCommand	- unknown command
InvalidArguments	- Arguments not appropriate for command
<other>	- command-specific error

OK is the only response which signifies success.

Subsequent arguments (if any) are command-specific.

The server is guaranteed to adhere to this protocol specification. If the client violates the protocol, the server may close the connection without any prior notice.

## Comments

The format of the Words portion of a packet is designed such that it shall be easy to split it into individual words in both C++ and Python. Any numerical arguments are always transferred in string form (not in raw binary form).

The protocol is designed to be fully bidirectional.

## Parameter formats

### String

An 8bit ASCII string. Must not contain any characters with ASCII code 0.

### Boolean

Two possible values:

true

false

### HexString

A stream of hexadecimal digits. The stream must always contain an even number of digits. Allowed characters are:  
0123456789ABCDEF

### Password

A password is from 0 up to 16 characters in length, inclusive. The allowed characters are:  
abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789

### Filename

A filename is from 1 up to 240 characters in length, inclusive. The allowed characters are:  
abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789.\_-

### Clantag

A clan tag is from 0 to an unknown number of characters in length. At the time of writing, it is unclear which the allowed characters are.

### Player name

The “player name” (referred to as “Soldier name” in-game) is the persona name which the player chose when logging in to EA Online. One EA Account can have multiple personas.

A player has a name from 4 to 16 characters in length, inclusive. The allowed characters are:

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz

0123456789

\_ - & ( ) \* + . / : ; < = > ? [ ] ^ { | } ~ <space>

When a player is creating a new persona, it is compared against all other persona names; the new name must be unique. The following characters are ignored during the comparison:

- \_ <space>

### Team ID

An integer.

Team 0 is neutral. Depending on gamemode, there are up to 16 non-neutral teams, numbered 1..16.

### Player subset

Several commands – such as admin.listPlayers – take a player subset as argument.

A player subset is one of the following:

all	- all players on the server
team <team number: integer>	- all players in the specified team
player <player name: string>	- one specific player

## Timeout

Some commands, such as bans, take a timeout as argument.

A timeout is one of the following:

perm	- permanent
round	- until end of round
seconds <number of seconds: integer>	- number of seconds

## Id-type

Some commands, such as bans, take an id-type as argument

An id-type is one of the following:

name	- Soldier name
ip	- IP address
guid	- Player guid

## Player info block

The standard set of info for a group of players contains a lot of different fields. To reduce the risk of having to do backwards-incompatible changes to the protocol, the player info block includes some formatting information.

<number of parameters>	- number of parameters for each player
N x <parameter type: string>	- the parameter types that will be sent below
<number of players>	- number of players following
M x N x <parameter value>	- all parameter values for player 0, then all parameter values for player 1, etc

Current parameters:

name	string	- player name
guid	GUID	- player GUID, or "" if GUID is not yet known
teamId	Team ID	- player's current team
kills	integer	- number of kills, as shown in the in-game scoreboard
deaths	integer	- number of deaths, as shown in the in-game scoreboard
score	integer	- score, as shown in the in-game scoreboard
ping	integer	- ping (ms), as shown in the in-game scoreboard

## Team scores

This describes the number of tickets, or kills, for each team in the current round.

<number of entries: integer>	- number of team scores that follow
N x <score: integer>	- score for all teams

## Online state

This indicates how the game server and the Plasma backend are communicating. It is one of the following:

NotConnected	- the game server is not connected to the Plasma backend
ConnectedToBackend	- the game server is connected to the Plasma backend, but not visible to players yet

AcceptingPlayers

- the game server is connected to the Plasma backend, visible in the server browser, and players can join the server

## Server Moderation Mode

A game server can be set to one of three moderation modes

free

- normal, voice, and admin players can chat

moderated

- voice, and admin players can chat

muted

- only admin players can chat

## Player Moderation Level

A player can have one out of four moderation levels:

muted

- player can never chat

normal

- player can chat when moderation mode is free

voice

- player can chat when moderation mode is free/moderated

admin

- player can always chat

## Server events

Most commands require the client to be logged in. Before the client has logged in, only 'login.plainText', 'login.hash', 'logout', 'version', 'serverInfo' and 'quit' commands are available.

### Summary

Command	Description
player.onJoin	Player with name <soldier name> has joined the server
player.onAuthenticated	Player with name <soldier name> has been authenticated + got GUID
player.onLeave	with name <soldier name> has left the server
player.onSpawn	Player with name <soldier name> has spawned in
player.onKill	Player with name <killing soldier name> has killed <killed soldier name>
player.onChat	Chat message has been sent to a group of people
player.onKicked	Player with name <soldier name> has been kicked
player.onTeamChange	Player might have changed team
punkBuster.onMessage	PunkBuster server has output a message
server.onLoadingLevel	Level is loading
server.onLevelStarted	Level is started
server.onRoundOver	Round has ended
server.onRoundOverPlayers	Player stats at end-of-round
server.onRoundOverTeamScores	Team stats at end-of-round

### Player events

Request: player.onJoin <soldier name: string>

Response: OK

Effect: Player with name <soldier name> has joined the server

Request: player.onAuthenticated <soldier name: string> <player GUID: guid>

Response: OK

Effect: Player with name <soldier name> has been authenticated, and has the given GUID

Request: player.onLeave <soldier name: string> <soldier info: player info block>

Response: OK

Effect: Player with name <soldier name> has left the server  
and <soldier info> is the player info (with score etc) at the moment that the player leaves

Request: player.onSpawn <soldier name: string> <kit: string> <weapons: ~~3x string~~ string>  
- ~~<gadgets>~~ <specializations: 3x string>

Response: OK

Effect: Player with name <soldier name> has spawned in, with kit <kit> and  
with <weapons> ~~and and~~ <specializations> selected

Request: player.onKill <killing soldier name: string><killed soldier name: string><weapon: string>  
<headshot: boolean><killer location: 3 x integer><killed location: 3 x integer>

Response: OK

Effect: Player with name <killing soldier name> has killed <killed soldier name>  
Suicide is indicated with the same soldier name for killer and victim.  
If the server kills the player (through admin.killPlayer), it is indicated by showing the killing soldier name as "Server".  
The locations of the killer and the killed have a random error of up to 10 meters in each direction.

Request: player.onChat <source soldier name: string><text: string><target group: player subset>

Response: OK

Effect: Player with name <source soldier name> (or the server, or the server admin) has sent chat message <text> to some people

Comment: The chat text is as represented before the profanity filtering  
If <source soldier name> is "Server", then the message was sent from the server rather than from an actual player  
If sending to a specific player, and the player doesn't exist, then the target group will be "player" ""

Request: player.onKicked <soldier name: string><reason: string>

Response: OK

Effect: Player with name <soldier name> has been kicked

Request: player.onTeamChange <soldier name: player name><team: Team ID>

Response: OK

Effect: Player might have changed team

## Misc

Request: punkBuster.onMessage <message: string>

Response: OK

Effect: PunkBuster server has output a message

Comment: The entire message is sent as a raw string. It may contain newlines and whatnot.

## Level/Round

Request: server.onLoadingLevel <level name: string><roundsPlayed: int><roundsTotal: int>

Response: OK

Effect: Level is loading

Request: server.onLevelStarted

Response: OK

Effect: Level is started



Request: server.onRoundOver <winning team: Team ID>  
Response: OK  
Effect: The round has just ended, and <winning team> won

Request: server.onRoundOverPlayers <end-of-round soldier info : player info block>  
Response: OK  
Effect: The round has just ended, and <end-of-round soldier info> is the final detailed player stats

Request: server.onRoundOverTeamScores <end-of-round scores: team scores>  
Response: OK  
Effect: The round has just ended, and <end-of-round scores> is the final ticket/kill/life count for each team

## Client commands

Most commands require the client to be logged in. Before the client has logged in, only 'login.plainText', 'login.hash', 'logout', 'version', 'serverInfo', 'listPlayers' and 'quit' commands are available.

## Summary

Command	Description
login.plainText <password>	Attempt to login to game server with password
login.hash	Retrieves the salt, used in the hashed password login process
login.hash <passwordHash>	Sends a hashed password to the server, in an attempt to log in
logout	Logout from game server
quit	Disconnect from server
version	Reports game server type, and build ID
listPlayers <players>	Return list of a group of players on the server, without GUIDs
eventsEnabled <enabled>	Set whether or not the server will send events to the current connection
help	Report which commands the server knows about
admin.runscript <filename>	Process file, runs script lines one-by-one, aborting processing upon error
punkBuster.pb_sv_command <command>	Send a raw PunkBuster command to the PunkBuster server
serverinfo	Query for brief server info
admin.say <message, players>	Send a chat message to a group of players
admin.runNextRound	Switch to next round, without ending current
admin.restartRound	Restart current round
admin.endRound <teamID>	End current round, declaring the specified team as winners
admin.runNextLevel	Alias for admin.runNextRound
admin.restartMap	Alias for admin.restartRound
admin.currentLevel	Return current level name
mapList.nextLevelIndex [index: integer]	Get/Set index of next level to be run
admin.supportedMaps <play list>	Retrieve maplist of maps supported in this play list
admin.getPlaylists	Get the play lists for the server
admin.kickPlayer <soldier name, reason>	Kick player <soldier name> from server
admin.listPlayers <players>	Return list of a group of players on the server
admin.movePlayer <name, teamID, forceKill>	Move a player to another team
admin.killPlayer <name>	Kill a player without scoring effects
admin.roundStartTimerEnabled [enabled]	get/set enable of the round start timer
vars.textChatModerationMode [moderation mode]	set the current text-chat moderation mode for the server
vars.textChatSpamTriggerCount [count]	Set the number of text messages required to trigger chat spam filter
vars.textChatSpamDetectionTime [time]	Set the length of the chat-spam detection time window
vars.textChatSpamCooldownTime [time]	Set the length of the chat-spam cooldown time
textChatModerationList.load	Load list of player-moderation levels from file
textChatModerationList.save	Save list of player moderation levels to file
textChatModerationList.add <moderationlevel> <name>	Add player to the moderation list
textChatModerationList.remove <name>	Remove player from moderation list
textChatModerationList.clear	Clears moderation list
textChatModerationList.list [startOffset]	Return a section of the moderation list
banList.load	Load list of banned players/IPs/GUIDs from file
banList.save	Save list of banned players/IPs/GUIDs to file
banList.add <id-type, id, timeout, reason>	Add player/IP/GUID to ban list for a certain amount of time
banList.remove <id-type, id>	Remove player/IP/GUID from ban list

<code>banList.clear</code>	Clears ban list
<code>banList.list [startIndex]</code>	Return part of the list of banned players/IPs/GUIDs
<code>reservedSpectateSlots.load</code>	Load list of reserved soldier names from file
<code>reservedSpectateSlots.save</code>	Save list of reserved soldier names to file
<code>reservedSpectateSlots.addPlayer &lt;name&gt;</code>	Add <name> to list of players who can use the reserved slots
<code>reservedSpectateSlots.removePlayer &lt;name&gt;</code>	Remove <name> from the reserved slots list
<code>reservedSpectateSlots.clear</code>	Clear reserved slots list
<code>reservedSpectateSlots.list</code>	Retrieve list of players who can utilize the reserved slots
<code>mapList.load</code>	Load list of map names from file
<code>mapList.save</code>	Save maplist to file
<code>mapList.list [rounds]</code>	Retrieve current maplist
<code>mapList.clear</code>	Clears maplist
<code>mapList.remove &lt;index&gt;</code>	Remove map from list
<code>mapList.append &lt;name, rounds&gt;</code>	Add map with name <name> to end of maplist
<code>mapList.insert &lt;index, name, rounds&gt;</code>	Add map with name at the specified index to the maplist
<code>vars.serverName [name]</code>	Set the server name
<code>vars.adminPassword [password]</code>	Set the admin password for the server
<code>vars.gamePassword [password]</code>	Set the game password for the server
<code>vars.punkBuster [enabled]</code>	Set if the server will use PunkBuster or not
<code>vars.hardCore [enabled]</code>	Set hardcore mode
<code>vars.ranked [enabled]</code>	Set ranked or not
<code>vars.skillLimit [lower, upper]</code>	Set the skill limits allowed on to the server
<code>vars.noUnlocks [enabled]</code>	Set if unlocks should be disabled
<code>vars.noAmmoPickups [enabled]</code>	Set if pickups should be disabled
<code>vars.realisticHealth [enabled]</code>	Set if health should be realistic
<code>vars.supportAction [enabled]</code>	Set if support action should be enabled
<code>vars.preRoundLimit [upper, lower]</code>	Set pre round limits. Setting both to zero means the game uses whatever settings are used on the specific levels. On ranked servers, the lowest values allowed are lower = 2 and upper = 4.
<code>vars.roundStartTimerPlayersLimit [limit]</code>	Get/Set the number of players that need to spawn on each team for the round start timer to start counting down.
<code>vars.roundStartTimerDelay [delay]</code>	If set to other than -1, this value overrides the round start delay set on the individual levels.
<code>vars.tdmScoreCounterMaxScore [score]</code>	If set to other than -1, this value overrides the score needed to win a round of Team Assault, Sector Control or Hot Zone.
<code>vars.clanTeams [enabled]</code>	Set if clan teams should be used
<code>vars.friendlyFire [enabled]</code>	Set if the server should allow team damage
<code>vars.currentPlayerLimit</code>	Retrieve the current maximum number of players
<code>vars.maxPlayerLimit</code>	Retrieve the server-enforced maximum number of players
<code>vars.playerLimit [nr of players]</code>	Set desired maximum number of players
<code>vars.bannerUrl [url]</code>	Set banner url
<code>vars.serverDescription [description]</code>	Set server description
<code>vars.noCrosshair [enabled]</code>	Set if crosshair for all weapons is hidden
<code>vars.noSpotting [enabled]</code>	Set if spotted targets are disabled in the 3d-world
<code>vars.teamKillCountForKick [count]</code>	Set number of teamkills allowed during a round
<code>vars.teamKillValueForKick [count]</code>	Set max kill-value allowed for a player before he/she is kicked
<code>vars.teamKillValueIncrease [count]</code>	Set kill-value increase for a teamkill
<code>vars.teamKillValueDecreasePerSecond [count]</code>	Set kill-value decrease per second

vars.idleTimeout [time]                      Set idle timeout  
vars.profanityFilter [enabled]              Set if profanity filter is enabled

## Preround & warmup

Request:      admin.roundStartTimerEnabled <bool>  
Response:      OK                              - Successful, operation performed  
Response:      InvalidArguments  
Effect:          Enable or disable the round start timer.  
Comments:      Needs a level reload to kick in.

Request:      vars.preRoundLimit [int:upperLimit, int:lowerLimit]  
Response:      OK                              - Successful, operation performed  
Response:      InvalidLimits   - Either the lower limit is higher than the upper, or upper is zero but not lower.  
Response:      InvalidArguments  
Effect:          Get or set the lower and upper limits for number of players in preround.

Request:      vars.roundStartTimerPlayersLimit [int:limit]  
Response:      OK                              - Successful, operation performed  
Response:      InvalidArguments              - The limit must be between 0-12, inclusive.  
Effect:          Get or set the number of people that need to spawn on each team for the warmup counter to start counting down.

Request:      vars. roundStartTimerDelay [int:delay]  
Response:      OK                              - Successful, operation performed  
Response:      InvalidArguments  
Effect:          Get or set the number of seconds on the warmup counter. Set to -1 to use the value defined on the level.

## Misc

Request:      login.plainText <password: string>  
Response:      OK                              - Login successful, you are now logged in regardless of prior status  
Response:      InvalidPassword              - Login unsuccessful, logged-in status unchanged  
Response:      PasswordNotSet              - Login unsuccessful, logged-in status unchanged  
Response:      InvalidArguments  
Effect:          Attempt to login to game server with password <password>  
Comments:      If you are connecting to the admin interface over the internet, then use login.hashcd instead to avoid having evildoers sniff the admin password

Request:      login.hashcd  
Response:      OK <salt: HexString>              - Retrieved salt for the current connection  
Response:      PasswordNotSet              - No password set for server, login impossible  
Response:      InvalidArguments  
Effect:          Retrieves the salt, used in the hashed password login process  
Comments:      This is step 1 in the 2-step hashed password process. When using this people cannot sniff your admin

password.

Request: login.hashed <passwordHash: HexString>  
Response: OK - Login successful, you are now logged in regardless of prior status  
Response: PasswordNotSet - No password set for server, login impossible  
Response: InvalidPasswordHash - Login unsuccessful, logged-in status unchanged  
Response: InvalidArguments  
Effect: Sends a hashed password to the server, in an attempt to log in  
Comments: This is step 2 in the 2-step hashed password process. When using this people cannot sniff your admin password.

Request: logout  
Response: OK - You are now logged out regardless of prior status  
Response: InvalidArguments  
Effect: Logout from game server

Request: quit  
Response: OK  
Response: InvalidArguments  
Effect: Disconnect from server

Request: version  
Response: OK MOH <version>  
Response: InvalidArguments  
Effect: Reports game server type, and build ID  
Comments: Game server type and build ID uniquely identify the server, and the protocol it is running.

Request: listPlayers <players: player subset>  
Response: OK <player info>  
Response: InvalidArguments  
Effect: Return list of all players on the server, but with zeroed out GUIDs

Request: eventsEnabled [enabled: boolean]  
Response: OK - for set operation  
Response: OK <enabled: boolean> - for get operation  
Response: InvalidArguments  
Effect: Set whether or not the server will send events to the current connection

Request: help  
Response: OK <all commands availble on server, as separate words>  
Response: InvalidArguments  
Effect: Report which commands the server knows about

Request: admin.runScript <filename: filename>  
Response: OK  
Response: InvalidArguments  
Response: InvalidFileName - The filename specified does not follow filename rules  
Response: ScriptError <line><original error...> - Script failed at line <line>, with the given error  
Effect: Process file, executing script lines one-by-one, aborting processing upon error

Request: punkBuster.pb\_sv\_command <command: string>  
Response: OK - Command sent to PunkBuster server module  
Response: InvalidArguments  
Response: InvalidPbServerCommand - Command does not begin with "pb\_sv\_"  
Effect: Send a raw PunkBuster command to the PunkBuster server  
Comment: The entire command is to be sent as a single string. Don't split it into multiple words.

## Query

Request: serverInfo  
Response: OK <serverName: string><current playercount: integer><max playercount: integer>  
<current gamemode: string><current map: string>  
<roundsPlayed: integer><roundsTotal: string><scores: team scores><onlineState: online state>  
<ranked: boolean><punkBuster: boolean><hasGamePassword: Boolean>  
<serverUpTime: seconds><roundTime: seconds>  
Response: InvalidArguments  
Effect: Query for brief server info.  
Comments: This command can be performed without being logged in.

## Communication

Request: admin.say <message: string><players: player subset>  
Response: OK  
Response: InvalidArguments  
Response: TooLongMessage  
Effect: Send a chat message to players. The message must be less than 100 characters long.

## Level

Request: admin.runNextRound  
Response: OK  
Response: InvalidArguments  
Effect: Switch to next round  
Comments: Always successful

Request: admin.restartRound  
Response: OK

Response: InvalidArguments  
Effect: Restart the current round

Request: admin.endRound <winner: Team ID>  
Response: OK  
Response: InvalidArguments  
Effect: End the current round, declaring <winner> as the winning team

Request: admin.runNextLevel  
Comment: Alias for admin.runNextRound

Request: admin.restartMap  
Comment: Alias for admin.restartRound

Request: admin.currentLevel  
Response: OK <name>  
Response: InvalidArguments  
Effect: Return current level name

Request: mapList.nextLevelIndex [index: integer]  
Response: OK  
Response: InvalidArguments  
Response: InvalidIndex - Level index not available in server map list (for set operation only)  
Effect: Get/set index of next level to be run

Request: admin.supportedMaps <play list: string>  
Response: OK <map names>  
Response: InvalidArguments  
Response: InvalidPlaylist <play list> - Play list doesn't exist on server  
Effect: Retrieve maplist of maps supported in this play list

Request: admin.getPlaylists  
Response: OK <play lists>  
Response: InvalidArguments  
Effect: Get the play lists for the server

## Manage players

Request: admin.kickPlayer <soldier name: player name> [reason: string]  
Response: OK - Player did exist, and got kicked

Response: InvalidArguments  
Response: PlayerNotFound - Player name doesn't exist on server  
Effect: Kick player <soldier name> from server  
Comments: Reason text is optional. Default reason is "Kicked by administrator".

Request: admin.listPlayers <players: player subset>  
Response: OK <player info>  
Response: InvalidArguments  
Effect: Return list of all players on the server

Request: admin.movePlayer <name: player name> <teamId: Team ID> <forceKill: boolean>  
Response: OK  
Response: InvalidArguments  
Response: InvalidTeamId  
Response: InvalidSquadId  
Response: InvalidPlayerName  
Response: InvalidForceKill  
Response: PlayerNotDead - Player is alive and forceKill is false  
Response: SetTeamFailed  
Effect: Move a player to another team  
Comment: Only works if player is dead. This command will kill player if forceKill is true

Request: admin.killPlayer <name: player name>  
Response: OK  
Response: InvalidArguments  
Response: InvalidPlayerName  
Response: SoldierNotAlive  
Effect: Kill a player without any stats effect

## Text chat moderation

Request: vars.textChatModerationMode [moderation mode: Server Moderation Mode]  
Response: OK - for set operation  
Response: InvalidArguments - for set operation  
Response: OK <moderation mode> - for get operation  
Effect: Set the current text-chat moderation mode for the server

Request: vars.textChatSpamTriggerCount [count: integer]  
Response: OK - for set operation  
Response: InvalidArguments - for set operation  
Response: OK <count> - for get operation  
Effect: Set the number of text messages required to trigger chat spam filter



Request: vars.textChatSpamDetectionTime [time [in seconds]: integer]  
Response: OK - for set operation  
Response: InvalidArguments - for set operation  
Response: OK <count> - for get operation  
Effect: Set the length of the chat-spam detection time window

Request: vars.textChatSpamCoolDownTime [time [in seconds]: integer]  
Response: OK - for set operation  
Response: InvalidArguments - for set operation  
Response: OK <count> - for get operation  
Effect: Set the length of the chat-spam cooldown time

Request: textChatModerationList.load  
Response: OK  
Response: InvalidArguments  
Response: InvalidEntry - Invalid entry in file  
Response: TooManyEntries - Max number of entries exceeded  
Response: AccessError - Could not read from file  
Effect: Load list of player-moderation levels from file

Request: textChatModerationList.save  
Response: OK  
Response: InvalidArguments  
Response: AccessError - Could not save to file  
Effect: Save list of player-moderation levels to file

Request: textChatModerationList.add <moderationlevel: Player Moderation Level> <name: string>  
Response: OK  
Response: InvalidArguments  
Response: Full  
Effect: Add player to the moderation list  
Comments: If the player already is present, its moderation level setting will be changed  
Players not in the list are considered to have moderation level "normal"  
Adding a player with moderation level "normal" will in effect remove that player instead

Request: textChatModerationList.remove <name: string>  
Response: OK  
Response: InvalidArguments  
Response: NotFound - Player not found in moderation list; list unchanged  
Effect: Remove player from moderation list

Request: textChatModerationList.clear  
Response: OK

Response: InvalidArguments  
Effect: Clears moderation list

Request: textChatModerationList.list [startOffset : integer]  
Response: OK <moderation entries>  
Response: InvalidArguments  
Effect: Return a section of the moderation list.  
Comment: The list starts with a number telling how many entries the call returns.  
After that, 2 words (moderation level, name) are received for every player in the list.  
If no startOffset is supplied, it is assumed to be 0.  
At most 100 entries will be returned by the command.  
To retrieve the full list, perform several textChatModerationList.list calls with increasing offset until the server returns 0 entries.

## Banning

Request: banList.load  
Response: OK  
Response: InvalidArguments  
Response: InvalidIdType  
Response: InvalidBanType  
Response: InvalidTimeStamp - A time stamp could not be read  
Response: IncompleteBan - Incomplete ban entry at end of file  
Response: AccessError - Could not read from file  
Effect: Load list of banned players/IPs/GUIDs from file  
Comment: 5 lines (Id-type, id, ban-type, time and reason) are retrieved for every ban in the list.  
Entries read before getting InvalidIdType, InvalidBanType, InvalidTimeStamp and IncompleteBan is still loaded.

Request: banList.save  
Response: OK  
Response: InvalidArguments  
Response: AccessError - Could not save to file  
Effect: Save list of banned players/IPs/GUIDs to file  
Comment: 5 lines (Id-type, id, ban-type, time and reason) are stored for every ban in the list.  
Every line break has windows “\r\n” characters.

Request: banList.add <id-type: id-type> <id: string> <timeout: timeout> [reason: string]  
Response: OK  
Response: InvalidArguments  
Response: BanListFull  
Effect: Add player to ban list for a certain amount of time  
Comments: Adding a new player/IP/GUID ban will replace any previous ban for that player/IP/GUID  
timeout can take three forms:  
perm - permanent [default]

round - until end of round

seconds <integer> - number of seconds until ban expires

Id-type can be any of these

name – A soldier name

ip – An IP address

guid – A player guid

Id could be either a soldier name, ip address or guid depending on id-type.

Reason is optional and defaults to "Banned by admin"; max length 80 chars.

Request: banList.remove <id-type: id-type> <id: string>

Response: OK

Response: InvalidArguments

Response: NotFound - Id not found in banlist; banlist unchanged

Effect: Remove player/ip/guid from banlist

Request: banList.clear

Response: OK

Response: InvalidArguments

Effect: Clears ban list

Request: banList.list [startOffset : integer]

Response: OK <player ban entries>

Response: InvalidArguments

Effect: Return a section of the list of banned players/IPs/GUIDs.

Comment: The list starts with a number telling how many bans the call returns.

After that, 5 words (Id-type, id, ban-type, time and reason) are received for every ban in the list.

If no startOffset is supplied, it is assumed to be 0.

At most 100 entries will be returned by the command.

To retrieve the full list, perform several banList.list calls with increasing offset until the server returns 0 entries.

(There is an unsolved synchronization problem hidden there: if a ban expires during this process, then one other entry will be skipped during retrieval. There is no known workaround for this.)

## Reserved slots

Request: reservedSpectateSlots.load

Response: OK

Response: InvalidArguments

Response: AccessError - File not found; internal reserved slots list is now empty

Effect: Load list of soldier names from file. This is a file with one soldier name per line.

If loading succeeds, the reserved slots list will get updated.

If loading fails, the reserved slots list will remain unchanged.

Request: reservedSpectateSlots.save  
Response: OK  
Response: InvalidArguments  
Response: AccessError - Error while saving  
Effect: Save list of reserved soldier names to file. This is a file with one soldier name per line.  
Comment: If saving fails, the output file may be unchanged or corrupt.

Request: reservedSpectateSlots.addPlayer <soldier name : player name>  
Response: OK  
Response: InvalidArguments  
Response: InvalidName  
Response: Full  
Response: PlayerAlreadyInList - Player is already in the list; reserved slots list unchanged  
Effect: Add <soldier name> to list of players who can use the reserved slots.

Request: reservedSpectateSlots.removePlayer <soldier name : player name>  
Response: OK  
Response: InvalidArguments  
Response: PlayerNotInList - Player does not exist in list; reserved slots list unchanged  
Effect: Remove <soldier name> from list of players who can use the reserved slots.

Request: reservedSpectateSlots.clear  
Response: OK  
Response: InvalidArguments  
Effect: Clear reserved slots list

Request: reservedSpectateSlots.list  
Response: OK <soldier names>  
Response: InvalidArguments  
Effect: Retrieve list of players who can utilize the reserved slots

## Maplist

Request: mapList.load  
Response: OK - Maplist loaded  
Response: InvalidArguments  
Response: AccessError - File not found, internal maplist is now empty  
Response: InvalidPlaylist - Play list doesn't exist. Should be RUSH, CONQUEST, SQDM or SQRUSH.  
Response: InvalidMapName <name> - Map with name <name> doesn't exist in playlist/gamemode  
Effect: Load list of map names from file. This is a file with one map name per line.  
Comments: If loading succeeds, the maplist will get updated.  
If loading fails, the maplist will remain unchanged.

Request: mapList.save  
Response: OK - Maplist saved  
Response: InvalidArguments  
Response: AccessError - Error while saving, on-disk maplist file possibly corrupted now  
Effect: Save maplist to file. This is a file with one map name per line.  
Comments: If saving fails, the output file may be unchanged or corrupt.  
Every line break has windows "\r\n" characters.

Request: mapList.list [rounds]  
Response: OK <N x map names> - map list, without round info  
Response: OK <N x (map name, rounds)> - map list, with round info  
Response: InvalidArguments  
Effect: Retrieve current maplist (with number of rounds for each if round is specified as option)  
Comments: If the user hasn't specified the number of rounds explicitly, the number of rounds will be shown as 0; the default number of rounds is currently 2 but may change in the future

Request: mapList.clear  
Response: OK  
Response: InvalidArguments  
Effect: Clears maplist  
Comments: If server attempts to switch level while maplist is cleared, nasty things will happen

Request: mapList.remove<index: integer>  
Response: OK - Map removed from list  
Response: InvalidArguments  
Response: InvalidIndex - Index doesn't exist in server map list  
Effect: Remove map from list.

Request: mapList.append<name: string><rounds: int32>  
Response: OK - Map appended to list  
Response: InvalidArguments  
Response: InvalidMapName - Map doesn't exist on server  
Effect: Add map with name <name> to end of maplist  
Comment: Remember to specify playlist before adding maps  
Rounds is an optional argument. If it isn't specified or 0 it will use game mode default.

Request: mapList.insert<index: integer><name: string>[rounds: int32]  
Response: OK - Map inserted to list  
Response: InvalidArguments  
Response: InvalidMapName - Map doesn't exist on server or negative index  
Effect: Add map with name at the specified index to the maplist  
Comment: Rounds is an optional argument. If it isn't specified or 0, game mode default will be used.

## Variables

Request: vars.serverName [name: string]  
Response: OK - for set operation  
Response: OK <name> - for get operation  
Response: InvalidArguments  
Response: TooLongName - for set operation  
Effect: Set server name

Request: vars.adminPassword [password: password]  
Response: OK - for set operation  
Response: OK <password> - for get operation  
Response: InvalidArguments  
Response: InvalidPassword - password does not conform to password format rules  
Effect: Set the admin password for the server, use it with an empty string("") to reset

Request: vars.gamePassword [password: password]  
Response: OK - for set operation  
Response: OK <password> - for get operation  
Response: InvalidArguments  
Response: InvalidPassword - password does not conform to password format rules  
Response: InvalidConfig - password can't be set if ranked is enabled  
Effect: Set the game password for the server, use it with an empty string("") to reset

Request: vars.punkBuster [enabled: boolean]  
Response: OK - for set operation  
Response: OK <enabled: boolean> - for get operation  
Response: InvalidArguments  
Response: InvalidConfig - punkbuster can't be disabled if ranked is enabled  
Response: StartupOnlyCallNotAllowed - this command can only be executed from startup.txt  
Effect: Set if the server will use PunkBuster or not

Request: vars.hardCore [enabled: boolean]  
Response: OK - for set operation  
Response: OK <enabled: boolean> - for get operation  
Response: InvalidArguments  
Effect: Set hardcore mode  
Delay: Works after map change

Request: vars.ranked [enabled: boolean]  
Response: OK - for set operation  
Response: OK <enabled: boolean> - for get operation  
Response: InvalidArguments

Response: StartupOnlyCallNotAllowed - this command can only be executed from startup.txt  
Effect: Set ranked or not. If enabled: game password will be removed and punkbuster enabled

Request: vars.skillLimit [lower: integer, upper:integer]

Response: OK - for set operation  
Response: OK <lower: integer, upper: integer> - for get operation  
Response: InvalidArguments  
Effect: Get the skill limits allowed on to the server (integer values).  
Comment: This value is read only

Request: vars.noUnlocks [enabled: boolean]

Response: OK - for set operation  
Response: OK <enabled: boolean> - for get operation  
Response: InvalidArguments  
Effect: Set if unlocks should be disabled

Request: vars.noAmmoPickups [enabled: boolean]

Response: OK - for set operation  
Response: OK <enabled: boolean> - for get operation  
Response: InvalidArguments  
Effect: Set if ammo pickups should be disabled

Request: vars.realisticHealth [enabled: boolean]

Response: OK - for set operation  
Response: OK <enabled: boolean> - for get operation  
Response: InvalidArguments  
Effect: Set if health should be realistic

Request: vars.supportAction [enabled: boolean]

Response: OK - for set operation  
Response: OK <enabled: boolean> - for get operation  
Response: InvalidArguments  
Effect: Set if support action should be enabled

Request: vars.preRoundLimit [upper: integer, lower: integer]

Response: OK - for set operation  
Response: OK <upper: boolean, lower: boolean> - for get operation  
Response: GameLogicNotPresent - not currently available  
Response: InvalidLimits - lower < 0 or upper < lower  
Response: InvalidArguments  
Effect: Set preround limits

Request: vars.clanTeams [enabled: boolean]  
Response: OK - for set operation  
Response: OK <enabled: boolean> - for get operation  
Response: InvalidArguments  
Effect: Set if clan teams should be used

Request: vars.friendlyFire [enabled: boolean]  
Response: OK - for set operation  
Response: OK <enabled: boolean> - for get operation  
Response: InvalidArguments  
Response: LevelNotLoaded - for set operation  
Effect: Set if the server should allow team damage  
Delay: Works after round restart  
Comment: Not available during level load.

Request: vars.currentPlayerLimit  
Response: OK <nr of players: integer> - for get operation  
Response: ReadOnly - if you try to send any arguments  
Response: InvalidArguments  
Effect: Retrieve the current maximum number of players  
Comment: This value is computed from all the different player limits in effect at any given moment

Request: vars.maxPlayerLimit  
Response: OK <nr of players: integer> - for get operation  
Response: ReadOnly - if you try to send any arguments  
Response: InvalidArguments  
Effect: Retrieve the server-enforced maximum number of players  
Comment: Setting the user-defined maximum number of players higher than this has no effect

Request: vars.playerLimit [nr of players: integer]  
Response: OK - for set operation  
Response: OK <nr of players: integer> - for get operation  
Response: InvalidArguments  
Response: InvalidNumberOfPlayers - Player limit must be in the range 8..32  
Effect: Set desired maximum number of players  
Comment: The effective maximum number of players is also effected by the server provider, and the game engine

Request: vars.bannerUrl [url: string]  
Response: OK - for set operation  
Response: OK <url: string> - for get operation  
Response: InvalidArguments  
Response: TooLongUrl - for set operation



Effect: Set banner url

Comment: The banner url needs to be max 63 characters long  
The banner needs to be a 512x64 picture smaller than 127kb, in .PNG format  
Example: admin.setBannerUrl <http://www.example.com/banner.png>

Request: vars.serverDescription <description: string>

Response: OK - for set operation

Response: OK <description: string> - for get operation

Response: InvalidArguments

Response: TooLongDescription - for set operation

Effect: Set server description

Comment: The description needs to be less than 400 characters long; the character '|' acts as line-break char

Request: vars.noCrosshairs [enabled: boolean]

Response: OK - for set operation

Response: OK <enabled: boolean> - for get operation

Response: InvalidArguments

Effect: Set if crosshair for all weapons is hidden

Delay: Works after map switch

Request: vars.noSpotting [enabled: boolean]

Response: OK - for set operation

Response: OK <enabled: boolean> - for get operation

Response: InvalidArguments

Effect: Set if spotted targets are disabled in the 3d-world

Delay: Works after map switch

Request: vars.teamKillCountForKick [count: integer]

Response: OK - for set operation

Response: OK <count: integer> - for get operation

Response: InvalidArguments

Effect: Set number of teamkills allowed during one round, before the game kicks the player in question  
Set to 0 to disable kill counting

Delay: Instantaneous

Request: vars.teamKillValueForKick [count: integer]

Response: OK - for set operation

Response: OK <count: integer> - for get operation

Response: InvalidArguments

Effect: Set the highest kill-value allowed before a player is kicked for teamkilling  
Set to 0 to disable kill value mechanism

Delay: Instantaneous

Request: vars.teamKillValueIncrease [count: integer]  
Response: OK - for set operation  
Response: OK <count: integer> - for get operation  
Response: InvalidArguments  
Effect: Set the value of a teamkill (adds to the player's current kill-value)  
Delay: Instantaneous

Request: vars.teamKillValueDecreasePerSecond [count: integer]  
Response: OK - for set operation  
Response: OK <count: integer> - for get operation  
Response: InvalidArguments  
Effect: Set how much every player's kill-value should decrease per second  
Delay: Instantaneous

Request: vars.idleTimeout [time: seconds]  
Response: OK - for set operation  
Response: OK <time: seconds> - for get operation  
Response: InvalidArguments  
Effect: Set how many seconds a player can be idle before he/she is kicked from server  
Set to 0 to disable idle kick  
Delay: Instantaneous

Request: vars.profanityFilter [enabled: boolean]  
Response: OK - for set operation  
Response: OK <enabled: boolean> - for get operation  
Response: InvalidArguments  
Effect: Set if all players' chat messages should be sent via a profanity filter on the master servers  
Delay: Instantaneous